Author Index of Volume 168 Issue 2

Alexandrescu, R., 177

Baró, M. D., 161
Basset, D., 149
Beguin, F., 239
Ben Maimoun, I., 239
Blanpain, B., 137
Borsella, E., 177
Botti, S., 177
Boukamp, B. A., 231
Boutz, M. M. R., 231
Bovier, C., 263
Burggraaf, A. J., 231
Byers, C. H., 125

Carles, R., 183
Celis, J. P., 137
Champagnon, B., 263
Chen, C. S., 231
Colomban, Ph., 199
Crespin, M., 239

Dikonimos-Makris, T., 177
Dolcetti, G., 153
Dormann, J. L., 217
Dumas, J., 263
de Vries, K. F., 231

Fricke, J., 235

Gadenne, M., 257
Gadenne, P., 257
Giorgi, R., 177
Gourbilleau, F., 183
Granqvist, C. G., 209
Große, J., 235
Günther, B., 165

Harris, M. T., 125
Haseeb, A., 137
Hillel, R., 183
Karanović, L. J., 253
Korznikov, A. V., 141
Krishnan, R., 257
Kumpmann, A., 165
Kunze, H.-D., 165

Langdon, T. G., 225
Lassri, H., 257
Lutman, A., 153

Ma, Y., 225
Mai, C., 263
Malagelada, J., 161
Malats i Riera, A., 245
Maline, M., 183
Martelli, S., 177
Matteazzi, P., 149, 153
Merklein, S., 205
Miani, F., 149, 153
Millers, T., 171
Milosavljević, Z., 253
Milošević, O., 249, 253
Mino, K., 157
Mlayah, A., 183
Morjan, I., 177
Mulyukov, R. R., 141

Nouet, G., 183

Othmani, A., 263

Plenet, J. C., 263
Poix, P., 245
Poleti, D., 253
Pourroy, G., 245

Raether, F., 205
Ramdou, M. T., 257
Roos, J. R., 137

Saitoh, Y., 157
Schlief, T., 235
Scott, T. C., 125
Segaud, J. P., 257
Sella, C., 257
Seron, A., 239
Siegel, R. W., 189
Sporn, D., 205
Suriñach, S., 161

Thölén, A. R., 131
Trovarelli, A., 153

Uskoković, D., 249, 253

Valiev, R. Z., 141
Vasović, D., 253
Vendange, V., 199

Winnubst, A. J. A., 231
Wouters, G., 137

Yoshizawa, H., 157

Elsevier Sequoia

Subject Index of Volume 168 Issue 2

Alloys
  spinel ferrite–metal alloy nanocomposites arising from a disproportionation in a liquid media, 245
  thermal stability of ultrafine-grained metals and alloys, 165
  thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161
Alumina
  elaboration and thermal stability of (alumina, aluminosilicate(iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199
Aluminium
  enhanced consolidation of ball-milled Nb–Al intermetallic powders, 157
  influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered $Fe–Al_2O_3$ and $Ni–Al_2O_3$ nanocermet films, 257
  production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239
  thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161
Artificial structures
  electrochemical deposition: a method for the production of artificially structured materials, 137
Attrition
  thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161

Ball milling
  designing a high energy ball-mill for synthesis of nanophase materials in large quantities, 149
  enhanced consolidation of ball-milled Nb–Al intermetallic powders, 157
Barium
  synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249

Cadmium
  CdS semiconductor doped silica xerogels, 263
Carbides
  catalytic properties of mechanosynthesized nanophase iron carbides, 153
Carbon
  microstructure of chemically vapour codeposited SiC–TiC–C nanocomposites, 183
  production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239
Catalysts
  catalytic properties of mechanosynthesized nanophase iron carbides, 153
Ceramics
  nanocomposite ceramic powder production by laser-induced gas-phase reactions, 177
  preparation and properties of sol–gel derived nanostructured thin ceramic layers, 205
Chemical vapour deposition
  microstructure of chemically vapour codeposited SiC–TiC–C nanocomposites, 183
Cobalt
  elaboration and thermal stability of (alumina, aluminosilicate/iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199

Deformation
  structure and properties of ultrafine-grained materials produced by severe plastic deformation, 141
Deposition
  electrochemical deposition: a method for the production of artificially structured materials, 137
Doping
  CdS semiconductor doped silica xerogels, 263

Elastic properties
  ultrasonic evaluation of elastic properties of silica aerogels, 235
Electrical characterization
  the electrical characterization of grain boundaries in ultra-fine grained Y–TZP, 231
Electrochemical deposition
  electrochemical deposition: a method for the production of artificially structured materials, 137
Electrodispersion
  the synthesis of metal hydrous oxide particles by multiphase electrodispersion, 125

Ferrites
  spinel ferrite–metal alloy nanocomposites arising from a disproportionation in a liquid media, 245

Gas-phase reactions
  nanocomposite ceramic powder production by laser-induced gas-phase reactions, 177
Grain boundaries
  the electrical characterization of grain boundaries in ultra-fine grained Y–TZP, 231
Granular compounds
  magnetic properties of granular compounds and other nanostructured materials, 217

Hydrous oxides
  the synthesis of metal hydrous oxide particles by multiphase electrodispersion, 125

Intermetallics
  enhanced consolidation of ball-milled Nb–Al intermetallic powders, 157
Iron
  catalytic properties of mechanosynthesized nanophase iron carbides, 153
  elaboration and thermal stability of (alumina, aluminosilicate/iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199
  influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered $Fe–Al_2O_3$ and $Ni–Al_2O_3$ nanocermet films, 257

Elsevier Sequoia

Liquids
spinel ferrite–metal alloy nanocomposites arising from a disproportionation in a liquid media, 245

Magnetic properties
magnetic properties of granular compounds and other nanostructured materials, 217
Metals
electrochromic materials: metal oxide nanocomposites with variable optical properties, 209
spinel ferrite–metal alloy nanocomposites arising from a disproportionation in a liquid media, 245
the synthesis of metal hydrous oxide particles by multiphase electrodispersion, 125
thermal stability of ultrafine-grained metals and alloys, 165

Nanocermets
influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered Fe–Al_2O_3 and Ni–Al_2O_3 nanocermet films, 257
Nanocomposites
elaboration and thermal stability of (alumina, aluminosilicate/iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199
electrochromic materials: metal oxide nanocomposites with variable optical properties, 209
microstructure of chemically vapour codeposited SiC–TiC–C nanocomposites, 183
production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239
spinel ferrite–metal alloy nanocomposites arising from a disproportionation in a liquid media, 245
Nanocrystalline structures
an examination of the implications of void growth in submicrometer and nanocrystalline structures, 225
Nanocrystals
thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161
Nanophase materials
catalytic properties of mechanosynthesized nanophase iron carbides, 153
Nanophase materials
designing a high energy ball-mill for synthesis of nanophase materials in large quantities, 149
synthesis and properties of nanophase materials, 189
Nanostructured materials
magnetic properties of granular compounds and other nanostructured materials, 217
preparation and properties of sol–gel derived nanostructured thin ceramic layers, 205
Nickel
elaboration and thermal stability of (alumina, aluminosilicate/iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199
influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered Fe–Al_2O_3 and Ni–Al_2O_3 nanocermet films, 257
thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161
Niobium
enhanced consolidation of ball-milled Nb–Al intermetallic powders, 157
Nitrogen
production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239

Optical properties
electrochromic materials: metal oxide nanocomposites with variable optical properties, 209
Oxides
electrochromic materials: metal oxide nanocomposites with variable optical properties, 209
Oxygen
a novel approach to control of ZnO-based varistor microstructures at the nanometre level, 253
influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered Fe–Al_2O_3 and Ni–Al_2O_3 nanocermet films, 257
production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239
synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249

Plasticity
structure and properties of ultrafine-grained materials produced by severe plastic deformation, 141
Powders
nanocomposite ceramic powder production by laser-induced gas-phase reactions, 177
synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249
Precursors
synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249

Refractory compound powders
materials synthesis on the basis of ultrafine refractory compound powders, 171

Semiconductors
CdS semiconductor doped silica xerogels, 263
Silica
CdS semiconductor doped silica xerogels, 263
Silica aerogels
ultrasonic evaluation of elastic properties of silica aerogels, 235
Silicon
microstructure of chemically vapour codeposited SiC–TiC–C nanocomposites, 183
production of β'-SiAlONs through carbon/oxide nanocomposites obtained from montmorillonite/aromatic ammonium complexes, 239
Sol–gel technique
preparation and properties of sol–gel derived nanostructured thin ceramic layers, 205
Spinels
spinel ferrite-metal alloy nanocomposites arising from a disproportionation in a liquid media, 245
Sputtering
influence of the deposition conditions on the optical, electrical and magnetic properties of sputtered Fe–Al_2O_3 and Ni–Al_2O_3 nanocermet films, 257
Submicrometer structures
an examination of the implications of void growth in submicrometer and nanocrystalline structures, 225
Sulphur
CdS semiconductor doped silica xerogels, 263

Thermal stability
elaboration and thermal stability of (alumina, aluminosilicate/iron, cobalt, nickel) magnetic nanocomposites prepared through a sol–gel route, 199

thermal stability of ultrafine-grained metals and alloys, 165
Thermodynamics
thermodynamic properties of nanocrystalline Ni_3Al-based alloys prepared by mechanical attrition, 161
Thin films
preparation and properties of sol–gel derived nanostructured thin ceramic layers, 205
Titanium
microstructure of chemically vapour codeposited SiC–TiC–C nanocomposites, 183
synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249

Ultrafine grained materials
the electrical characterization of grain boundaries in ultra-fine grained Y–TZP, 231
Ultrafine particles
formation and observation of ultrafine particles, 131
structure and properties of ultrafine-grained materials produced by severe plastic deformation, 141
thermal stability of ultrafine-grained metals and alloys, 165

Varistor microstructures
a novel approach to control of ZnO-based varistor microstructures at the nanometre level, 253
Void growth
an examination of the implications of void growth in submicrometer and nanocrystalline structures, 225

Xerogels
CdS semiconductor doped silica xerogels, 263

Zinc
a novel approach to control of ZnO-based varistor microstructures at the nanometre level, 253
synthesis of $BaTiO_3$ and ZnO varistor precursor powders by reaction spray pyrolysis, 249